

AN ISO 9001 : 2008 COMPANY



For every GLOW GREEN Products
Commitment to Quality is No. Window Dressing....



GLOW GREEN

SKD
Product Catalogue
2023-24



Corporate Office / R&D Centre / Production Unit

Don't be mean; be **GREEN**
because **Green** actions speaks louder than
the grey words.



R&D LAB



SMT SECTION



OFFICE BLOCK

WHY US

- ▶ Customer satisfaction is our prime objective.
- ▶ In house R&D Lab helps us in bringing innovation & reliability to our products.
- ▶ Wide product range available under one roof which helps in catering all kinds of lighting requirements for our OEM buyers.
- ▶ We make energy efficient yet economical products with the help of latest technology & innovations.
- ▶ Our latest product range offers principle of "SAVE ENERGY-SAVE THE ENVIRONMENT & ENHANCED VALUE FOR MONEY".

FLOOD LIGHT SKD KIT

GLASS FLOOD LIGHT - FHW SERIES

Body : Aluminum Casted Grey Powder Coated Housing

Kit Includes : Housing Set + Mounted PCB + Water Proof Drivers + PG7 Gland and Screws



WATT	DIMENSION (MM)	WEIGHT (Grams)	PCB	DRIVER
30W	185x180x43.5	Housing : 280 Handle : 147	Dimension : 88x48x1.5mm No of LED : 30 (3s x 10p) LED : 1W 9V 2835	30V/900ma Water Proof Driver 4KV/440V
50W	220x250x50	Housing : 463 Handle : 180	Dimension : 110x73x1.5mm No of LED : 51 (3s x 17p) LED : 1W 9V 2835	30V/1500ma Water Proof Driver 6KV/440V
100W	275x285x55	Housing : 661 Handle : 195	Dimension : 152x117x1.5mm No of LED : 144 (3s x 24p x 2 sets) LED : 1W 9V 2835	2nos. X 30V/1500ma Water Proof Driver 6KV/ 440V
150W	297x277x68	Housing : 1300 Handle : 250	Dimension : 194x122x1.5mm No of LED : 150 (5s x 6p x 3 sets) LED : 1W 6V 2835	3nos. X 30V/1500ma Water Proof Driver 6KV/440V
200W	360x330x77	Housing : 2350 Handle : 337	Dimension : 225x110x1.5mm No of LED : 200 (5s x 6p x 4 sets) LED : 1W 6V 2835	4nos. X 30V/1500ma Water Proof Driver 6KV/ 440V

LENSE FLOOD LIGHT- LAB SERIES

Body : Aluminum Casted Grey Powder Coated Housing

Kit Includes : Housing Set + Mounted PCB + Water Proof Drivers + PG7 Gland and Screws



WATT	DIMENSION (MM)	WEIGHT (Grams)	PCB	DRIVER
30W	200x161x37	Housing : 365 Lense : 77 Handle : 67	Dimension : 124x76x1.0mm No of leds : (4sx7p+8p) Led : 1W 9V 2835	30V/900ma Water Proof Driver 4KV/440V
50W	245x188x37	Housing : 396 Lense : 120 Handle : 104	Dimension : 173x99x1.0mm No of LEDs : 60 (5sx12p) LED : 1W 6V 2835	30V/1500ma Water Proof Driver 6KV/440V
100W	295x220x44	Housing : 650 Lense : 152 Handle : 186	Dimension : 198x119x1.0mm No of LEDs : 120(5s x 12p x 2 sets) LED - 1W 6V 2835	2nos. X 30V/1500ma Water Proof Driver 6KV/440V
200W	375x280x44	Housing : 1916 Lense : 276 Handle : 322	Dimension : 283x148x1.0mm No of LEDs : 240 (5s x 12p x 4 sets) LED : 1W 6V 2835	4nos. X 30V/1500ma Water Proof Driver 6KV/440V

STREET LIGHT & BULK HEAD SKD KIT

LENSE STREET LIGHT - LAB SERIES

Body : Aluminum Casted Grey Powder Coated Housing

Kit Includes : Housing Set + Mounted PCB + Water Proof Drivers + PG7 Gland and Screws



WATT	DIMENSION (MM)	WEIGHT (Grams)	PCB	DRIVER
25W	290x119x46	Housing : 225 Lense : 42	Dimension : 140x57x1.0mm No of LEDs : 24 (4s x 6p) LED : 1W 9V 2835	30V/600ma Water Proof Driver 4KV/440V
36W	385x142x46	Housing : 330 Lense : 58	Dimension : 164x78x1.0mm No of LEDs : 36 (4s x 9p) LED : 1W 9V 2835	36V/900ma Water Proof Driver 4KV/440V
50W	365x172x46	Housing : 415 Lense : 89	Dimension : 181x107x1.0mm No of LEDs : 60 (5sx12p) LED : 1W 6V 2835	30V/1500ma Water Proof Driver 6KV/440V
100W	410x200x46	Housing : 572 Lense : 142	Dimension : 213x124x1.0mm No of LEDs : 120 (5sx12px2 sets) LED : 1W 6V 2835	2nos.X30V/1500ma Water Proof Driver 6KV/440V
150W	535x224x38	Housing : 1032 Lense : 208	PCB Dimension : No of LED :150 (5sx 6px3sets) LED : 1W 6V 2835	3nos.X 30V/1500ma Water Proof Driver 6KV/440V
200W	588x235x40	Housing : 1236 Lense : 257	PCB Dimension : No of LEDs : 200 (5sx6px4sets) LED : 1W 6V 2835	4nos.X 30V/1500ma Water Proof Driver 6KV/440V

LED BULK HEAD

Kit Includes : PC Housing Set + Mounted PCB Drivers



WATT	DIMENSION (MM)	WEIGHT (Grams)	PCB	DRIVER
10W	170X70X50	Housing : 41 Diffuser : 20	Dimension : 133x42x1.2 No of LEDs : 60 (20s x3p) LED : 0.2W 3V 2835	Non Isolated HPF (4KV/440V)
20W	210X81X67	Housing : 60 Diffuser : 35	Dimension : 166x61x1.2 No of LEDs : 126 (21s x6p) LED : 0.2W 3V 2835	Non Isolated HPF (4KV/440V)

ALUMINIUM SLIM & SURFACE PANEL SKD KIT

LED ALUMINUM PANEL - RECESS/SURFACE

Kit Includes : Aluminum Housing Set + LGP Set + Spring + Mounted Strip + Driver + Male and Female Connector + Driver Box

Color Options : 6k/3k/4K/R/G/B/P (Price of Colour LED Strip is Higher)

WATT	SHAPE	DIMENSION (MM)	WEIGHT (Grams)	PCB	DRIVER
6W Recess	Round	Size :120x23 Cutout :105	Housing : 44 Back Plate : 20	Dimension : 289x6mm No of LEDs : 30 (15s x 2p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
6W Recess	Square	Size :120x120x23 Cutout :105x105	Housing : 51 Back Plate : 22	Dimension : 331x6mm No of LEDs : 30 (15s x 2p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
12W Recess	Round	Size :170x23 Cutout :155	Housing : 66 Back Plate : 43	Dimension : 438x6mm No of LEDs : 60 (12s x 5p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
12W Recess	Square	Size :170x170x23 Cutout :155x155	Housing : 86 Back Plate : 54	Dimension : 527x6mm No of LEDs : 60 (12s x 5p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
18W Recess	Round	Size :220x23 Cutout :205	Housing : 92 Back Plate : 78	Dimension : 591x6mm No of LEDs : 60 (18s x 5p) LED : 0.2W 3V 2835	Non Isolated HPF 4KV/440V
18W Recess	Square	Size :220x220x23 Cutout :205x205	Housing : 110 Back Plate : 102	Dimension : 728x6mm No of LEDs : 90 (18s x 5p) LED : 0.2W 3V 2835	Non Isolated HPF 4KV/440V
6W Surface	Round	Size :120x35	Housing : 69 Back Plate : 20	Dimension : 289x6mm No of LEDs : 30 (15s x 2p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
6W Surface	Square	Size :120x120x35	Housing : 85 Back Plate : 20	Dimension : 331x6mm No of LEDs : 30 (15s x 2p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
12W Surface	Round	Size :170x35	Housing : 109 Back Plate : 46	Dimension : 438x6mm No of LEDs : 60 (12s x 5p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
12W Surface	Square	Size :170x170x35	Housing : 145 Back Plate : 54	Dimension : 527x6mm No of LEDs : 60 (12s x 5p) LED :0.2W 3V 2835	Isolated LPF (2.5KV)
18W Surface	Round	Size :220x35	Housing : 166 Back Plate : 81	Dimension : 591x6mm No of LEDs : 60 (18s x 5p) LED : 0.2W 3V 2835	Non Isolated HPF 4KV/440V
18W Surface	Square	Size :220x220x35	Housing : 201 Back Plate : 102	Dimension : 728x6mm No of LEDs : 90 (18s x 5p) LED : 0.2W 3V 2835	Non Isolated HPF 4KV/440V



PANEL LIGHT SKD KIT

LED RECESS COMMERCIAL PANEL (2'X2')

Kit Includes : Housing Set + Mounted PCB + Driver

PCB Options : 6K/3K/4K



WATT	DIMENSION (MM)	WEIGHT (Grams)	PCB	DRIVER
36W	595x595	Housing : 650 Frame : 130 Diffuser : 150	Dimension : 728x6mm No of LEDs : 48 (4sx2p)x6pcbs LED : 1W 9V 2835	Isolated HPF 4KV /440V
48W	595x595	Housing : 650 Frame : 130 Diffuser : 150	Dimension : 728x6mm No of LEDs : 48 (4sx2p)x6pcbs LED : 1W 9V 2835	Isolated HPF 4KV /440V

PC PANEL - RDL SERIES

Kit Includes : PC Housing Set + Spring + Mounted PCB + Driver

PCB Option : 6K/3K/4K



WATT	SHAPE	DIMENSION (MM)	WEIGHT (Grams)	PCB	DRIVER
5W	Round	Size : 82x35 Cutout : 65	Housing : 20 Diffuser : 6	Dimension : 50x1mm No of LEDs : 30 (15s x 2p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
8W	Round	Size : 115x35 Cutout : 100	Housing : 40 Diffuser : 19	Dimension : 82x1mm No of LEDs : 40 (20s x 2p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
8W	Square	Size : 115x115x35 Cutout : 100x100	Housing : 47 Diffuser : 20	Dimension : 82x82x1mm No of LEDs : 40 (20s x 2p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
12W	Round	Size : 145x35 Cutout : 125	Housing : 50 Diffuser : 25	Dimension : 115x1mm No of LEDs : 120 (15s x 8p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
12W	Square	Size : 145x145x35 Cutout : 125x125	Housing : 65 Diffuser : 43	Dimension : 115x115x1mm No of LEDs : 120 (15s x 8p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)
15W	Round	Size : 165x35 Cutout : 150	Housing : 70 Diffuser : 34	Dimension : 132x1mm No of LEDs : 135 (15s x 9p) LED : 0.2W 3V 2835	Non Isolated HPF 4KV/440V
15W	Square	Size : 165x165x35 Cutout : 150x150	Housing : 81 Diffuser : 44	Dimension : 132x132x1mm No of LEDs : 120 (15s x 9p) LED : 0.2W 3V 2835	Non Isolated HPF 4KV/440V
20W	Round	Size : 220x35 Cutout : 200	Housing : 101 Diffuser : 64	Dimension : 186x1mm No of LEDs : 180(18s x 10p) LED : 0.2W 3V 2835	Non Isolated HPF 4KV/440V
20W	Square	Size : 220x220x35 Cutout : 200x200	Housing : 135 Diffuser : 82	Dimension : 186x186x1mm No of LEDs : 180 (18s x 10p) LED : 0.2W 3V 2835	Non Isolated HPF 4KV/440V

DUAL CCT SKD KIT

DUAL CCT PANEL

Kit Includes : Aluminum Housing Set +LGP Set + Spring + Mounted Strip + Driver + Male and Female Cable
PCB Options : 6K+ R/G/B/P/PBG/PBGRY/3K



WATT	DIMENSION (MM)	WEIGHT (Grams)	PCB	DRIVER
3W+3W Recess	Size : 105x30 Cutout : 65	Ring : 22 Back Plate : 12	Inner Strip: 179x6mm 15 LED/3s x 5p/0.2W 3V 2835 Outer Strip: 208x6mm 30 LED/3s x10p/0.2W 3V 2835	Isolated LPF (2.5KV)
6W+3W Recess	Size : 145x30 Cutout : 100	Ring : 31 Back Plate : 35	Inner Strip: 286x6mm 30 LED/6s x 5p/0.2W 3V 2835 Outer Strip: 321x6mm 30 LED/3s x10p/0.2W 3V 2835	Isolated LPF (2.5KV)
12W+4W Recess	Size : 190x30 Cutout : 150	Ring : 46 Back Plate : 64	Inner Strip: 438x6mm 60 LED/12sx5p/0.2W 3V 2835 Outer Strip: 471x6mm 40 LED/4s x10p/0.2W 3V 2835	Isolated LPF (2.5KV)
3W+3W Surface	Size : 105x35	Ring : 16 Back Plate : 37	Inner Strip: 179x6mm 15 LED/3s x 5p/0.2W 3V 2835 Outer Strip: 208x6mm 30 LED/3s x10p/0.2W 3V 2835	Isolated LPF (2.5KV)
6W+3W Surface	Size : 145x35	Ring : 27 Back Plate : 68	Inner Strip: 286x6mm 30 LED/6s x 5p/0.2W 3V 2835 Outer Strip: 321x6mm 30 LED/3s x10p/0.2W 3V 2835	Isolated LPF (2.5KV)
12W+4W Surface	Size : 190x35	Ring : 44 Back Plate : 108	Inner Strip: 438x6mm 60 LED/12sx5p/0.2W 3V 2835 Outer Strip: 471x6mm 40 LED/4s x10p/0.2W 3V 2835	Isolated LPF (2.5KV)

DUAL COLOUR LED DEEP LIGHT

Kit Includes : PC Housing Set + Mounted PCB + Driver
PCB Options : 6K+3K/R/G/B/P/PBG



WATT	DIMENSION (MM)	WEIGHT (Grams)	PCB	DRIVER
7W+7W	Size : 85x45 Cutout : 45	Housing : 16 Diffuser : 15	PCB Dimension : 78x1mm No of LEDs : 70 (7sx5px2 sets) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)-21V/260ma
12W+12W	Size : 115x45 Cutout : 50	Housing : 33 Diffuser : 27	PCB Dimension : 105x1mm No of LEDs : 120 (12sx5px2 sets) LED : 0.2W 3V 2835	Isolated LPF (2.5KV)-36V/280ma

PC DEEP, SURFACE & CONCEAL SKD KIT

LED PC DEEP, SURFACE & CONCEAL LIGHTS

Kit Includes : PC Housing Set + Mounted PCB + Driver

PCB Options : 6K/3K/R/G/B/P



WATT	DIMENSION (MM)	WEIGHT (Grams)	PCB	DRIVER
3W Deep	Size : 80x33 Cutout : 45	Housing : 15 Diffuser : 3.5	Dimension : 33x1mm No of LEDs : 18 (9s x 2p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV) 60V/120ma
8W Deep	Size : 85x65 Cutout : 45	Housing : 18 Diffuser : 14	Dimension : 77x1mm No of LEDs : 40 (20s x 2p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV) 60V/120ma
15W Deep	Size : 140x65 Cutout : 45	Housing : 40 Diffuser : 40	Dimension : 132x1mm No of LEDs : 135 (15s x 9p) LED : 0.2W 3V 2835	Non Isolated HPF (4KV/440V) 45V/300ma
8W Surface	Size : 85x45	Housing : 26.2 Diffuser : 14	Dimension : 77x1mm No of LEDs : 40 (20s x 2p) LED : 0.2W 3V 2835	Isolated LPF (2.5KV) 60V/120ma
15W Surface	Size : 140x45	Housing : 51.5 Diffuser : 38.5	Dimension : 132x1mm No of LEDs : 135 (15s x 9p) LED : 0.2W 3V 2835	Non Isolated HPF (4KV/440V) 45V/300ma
4W Lense Downlight	Size : 70x40 Cutout : 55	Housing : 10.5 Lense : 4.5 Ring : 12.2	Dimension : 39x32x1.5mm No of LEDs : 4 (4sx 1p) LED : 1W 9V 2835	Isolated LPF (2.5KV) 36V/100ma
7W CMT SERIES	Size : 110x32 Cutout : 75	Housing : 27 Diffuser : 8.8 Heatsink : 5.4	PCB Dimension : 25 x 21mm No of LEDs : 7 (7s x 1P) LED : 1W / 9V 2835	Isolated LPF (2.5KV) 80V/120ma
9W BPS SERIES	Size : 110x50 Cutout : 75	Housing : 32 Diffuser : 8.8 Heatsink : 10	PCB Dimension : 25 x 21mm No of LEDs : 9 (9s x 1P) LED : 1W / 9V 2835	Isolated LPF (2.5KV) 90V/100ma
9W MIR SERIES	Size : 110x50 Cutout : 75	Housing : 41.5 Diffuser : 9.1 Heatsink : 9.7	PCB Dimension : 25 x 21mm No of LEDs : 9 (9s x 1P) LED : 1W / 9V 2835	Isolated LPF (2.5KV) 90V/100ma
9W JLL SERIES	Size : 110x60 Cutout : 75	Housing : 25.6 Diffuser : 6.7 Heatsink : 16.2	PCB Dimension : 25 x 21mm No of LEDs : 9 (9s x 1P) LED : 1W / 9V 2835	Isolated LPF (2.5KV) 90V/100ma
9W SR/PA SERIES	Size : 110x45 Cutout : 75	Housing : 27.7 Diffuser : 3.4	PCB Dimension : 25 x 21mm No of LEDs : 9 (9s x 1P) LED : 1W / 9V 2835	Isolated LPF (2.5KV) 90V/100ma
9W LGP SERIES	Size : 123x42 Cutout : 75	Housing : 48 Diffuser : 4.7 LGP : 34	PCB Dimension : 25 x 21mm No of LEDs : 9 (9s x 1P) LED : 1W / 9V 2835	Isolated LPF (2.5KV) 90V/100ma
8W LENSE DOWN LIGHT	Size : 105x50 Cutout : 80	Housing : 20.3 Lense : 9.5 Heatsink : 8.8	PCB Dimension:50x17x1.5mm No of LEDs : 8 (8sx 1P) LED : 1W / 9V 2835	Isolated LPF (2.5KV) 36-90V/100ma

COB DOWNLIGHT SKD KIT

DEEP COB WITH REFLECTOR - DRC SERIES

Body : Aluminum Casted + Reflector

Both White and Black Housings Available.

Reflector Colours - Rose Gold / Matt Rose Gold / Chrome / Gold / Gun Metal

Kit Includes : Housing Set + Reflector + COB Chip + Driver + Driver Box + Connector (without screws)



WATT	DIMENSION (MM)	WEIGHT (Grams)	COB Chip	DRIVER
12W	Size : 85x80 Cutout : 75	Housing : 44 Heatsink : 96	12W COB chip / 300MA COB size : 1411	Isolated LPF (2.5KV) or Non Isolated HPF (4KV/440V)

ALUMINUM DEEP COB - DPC SERIES

Both White and Black Housings Available.

Kit Includes : Housing Set + COB Chip + Driver + Driver Box + Connector (without screws)



WATT	DIMENSION (MM)	WEIGHT (Grams)	COB Chip	DRIVER
7W	Size : 60x70 Cutout : 50	Housing : 34 Heatsink : 53	7W COB Chip / 300MA COB Size :1107	Isolated LPF (2.5KV)
12W	Size : 85x80 Cutout : 75	Housing : 67 Heatsink : 95	12W COB Chip / 300MA COB Size :1411	Isolated LPF (2.5KV) or Non Isolated HPF (4 KV/440V)
18W	Size : 95x100 Cutout : 85	Housing : 70 Heatsink : 140	18W COB Chip / 300MA COB Size :1917	Non Isolated HPF (4KV/440V)

FLAT TILTABLE COB DOWNLIGHT

Kit Includes : Housing Set + COB Chip + Driver + Driver Box + Connector (without screws)



WATT	DIMENSION (MM)	WEIGHT (Grams)	COB Chip	DRIVER
5W	Size : 60x40 Cutout : 50	Housing : 48	5W Star PCB / 300ma	Isolated LPF (2.5KV)
9W	Size : 80x55 Cutout : 70	Housing : 95	12W COB Chip / 36V-240ma Cob Size :1411	Non Isolated HPF (4KV/440V) 36V/240ma
16W	Size : 100x75 Cutout : 90	Housing : 176	16W COB Chip/48-52V-300ma COB Size : 1411	Non Isolated HPF (4KV/440V)
24W	Size : 120x90 Cutout : 110	Housing : 310	24W COB Chip/70-75V/300ma COB Size : 1917	Non Isolated HPF (4KV/440V)
30W	Size : 150x100 Cutout : 130	Housing : 448	30W COB Chip / 36V/750ma COB Size: 1917	Isolated HPF (4KV/440V)
50W	Size : 170x150 Cutout : 120	Housing : 560	50W COB Chip / 36V/1200ma COB Size : 2724	Isolated HPF (4KV/440V)

COB TRACK & CYLINDER SKD KIT

COB TRACK LIGHT / WALL SPOT

Body : Aluminum White / Black (Powder Coated Housing)

Kit Includes : Housing Set + COB Chip + Driver



WATT	DIMENSION (MM)	WEIGHT (Grams)	COB Chip	DRIVER
10W	Size : 50x130	Housing : 226 Lense : 11	12W COB Chip / 300ma COB Size :1411	Non Isolated HPF (4KV/440V)
20W	Size : 65x160	Housing : 365 Lense : 30	20W COB Chip / 36V/500ma COB Size :1917	Isolated HPF (4KV/440V)
30W	Size : 75x180	Housing : 430 Lense : 48	30W COB Chip / 36V/750ma COB Size :1917	Isolated HPF (4KV/440V)

TILTABLE SURFACE COB CYLINDER

Body : Aluminum White / Black (Powder Coated Housing)

Reflector Options : Rose Gold / White / Black

Kit includes : Housing Set + COB + Driver



WATT	DIMENSION (MM)	WEIGHT (Grams)	COB Chip	DRIVER
12W L Shape Cylinder	Size : 55x162	Housing : 234 Reflector: 5.4	12W COB Chip / 300ma COB Size :1411	Isolated LPF (2.5KV) or Non Isolated HPF (4KV/440V)

SURFACE COB CYLINDER

Body : Aluminum White / Black (Powder Coated Housing)

Reflector Options : Rose Gold / Gun Metal

Kit Includes : Housing Set + COB + Driver



WATT	DIMENSION (MM)	WEIGHT (Grams)	COB Chip	DRIVER
7W Lense Cylinder	Size : 50x70	Housing : 93	12W COB Chip / 150ma COB Size : 1411	Isolated LPF (2.5 KV)
12W Lense Cylinder	Size : 70x90	Housing : 168	12W COB Chip /300ma COB Size :1411	Isolated LPF (2.5KV) or Non Isolated HPF (4 KV/440V)
18W Lense Cylinder	Size : 95x100	Housing : 276	18W COB Chip / 300ma COB Size :1411	Non Isolated HPF (4 KV/440V)

LASER BLADE SKD KIT & DRIVERS

LASER BLADE - LB SERIES

Body : Aluminium

Black / White Powder Coated Housing

Reflector Options : Rose Gold / White / Black

Kit Includes : Housing Set + Mounted PCB + Driver + Connector Set + Driver Box



WATT	DIMENSION (MM)	WEIGHT (Grams)	PCB	DRIVER
10W	Size : 145X45X32 Cutout : 139X33	Housing : 75 Lense : 11	PCB Dimension: 127x22.4 mm No of LEDs : 5 (5s x 1P) LED : 2W/ 6V/3030	Isolated LPF (2.5KV) or Non Isolated HPF (4KV/440V)

DRIVER



S. NO.	MODEL NO.	POWER	INPUT VOLTAGE	SURGE
1	GGDRI/60V/120MA/8W/IS/LP	8W	80-300V AC	2.5KV
2	GGDRI/90V/100MA-9W/IS/LP	9W	80-300V AC	2.5KV
3	GGDRI/36V/300MA-12W/IS/LP	12W	80-300V AC	2.5KV
4	GGDRI/24V-63V/300MA 8-24W/NI/HP	8-24W	80-440V AC	4KV/440V
5	GGDRI/60V/240MA-15W/NI/HP	15W	80-440V AC	4KV/ 440V
6	GGDRI/7W/TRI/24V-300MA/IS/LP	7W	80-300V AC	2.5KV
7	GGDRI/8-18W/TRI/300MA/IS/LP	8-18W	80-300V AC	2.5KV
8	GGDRI/20-25W/30V-36V/600MA/WP/IS	20-25W	80-440V AC	4KV
9	GGDRI/30W/30V/900MA/WP/IS	30W	80-440V AC	4KV
10	GGDRI50W/30V/1500MA/WP/IS	50W	80-440V AC	6KV
11	GGDRI/50W/36V/1200MA/WP/IS	50W	80-440V AC	6KV

PCB'S

SUITABLE FG PICTURE	RM PICTURE	S. NO.	PRODUCT	WATT	SPECIFICATION
		1	Bulk Head PCB	10W	Wattage : 10W No of LEDs : 60 LED S X P : 30S x 2P Dimension : 133x42mm Thickness : 1.2 mm Suitable for 0.2w/3V/2835 LED Suitable Driver 55-60V/120ma
		2	Bulk Head PCB	20W	Wattage : 20W No of LEDs : 126 LED S X P : 21S x 6P Dimension : 166x61mm Thickness : 1.2 mm Suitable for 0.2w/3v/2835 LED Suitable Driver 63V/300MA
		3	Street Light PCB	15W	Wattage : 15W No of LEDs : 30 LED S X P : 15S x 2P Dimension : 102 x 139mm Thickness : 1.2 mm Suitable for 0.5w/3v/2835 LED Suitable Driver 45V/300ma
		4	GM Model FL	30W	Wattage : 30W No of LEDs : 30 LED S X P : 3S x 10P Dimension : 88 x 48mm Thickness : 1.5 mm Suitable for 1W/9V/2835 LED Suitable Driver 30V/900ma
		5	GM Model FL	50W	Wattage : 50W No of LEDs : 51 LED S X P : 3S x 17P Dimension : 110 x 73 mm Thickness : 1.5 mm Suitable for 1W/9V/2835 LED Suitable Driver 30V/1500ma
		6	GM Model FL	100W	Wattage : 100w No of LEDs : 144 LED S X P : 3S x 24P x 2 Dimension : 152 x 117mm Thickness : 1.5 mm Suitable for 1W/9V/2835 LED Suitable Driver 30V/1500max2pcs
		7	GM Model FL	150W	Wattage : 150W No of LEDs : 150 LED S X P : 5S x 10P x 3 Dimension : 194 x 122mm Thickness : 1.5 mm Suitable for 1W/6v/2835 LED Suitable Driver 50W/30V/1500max3pcs
		8	Lense Model Flood Light	30W	Wattage : 30W No of LEDs : 40 LED S X P : 5S x 8P Dimension : 102 x 139 mm Thickness : 1.2 mm Suitable for 1W/6V/2835 LED Suitable Driver 30V/ 900ma

PCB'S

SUITABLE FG
PICTURE

RM PICTURE




S. NO.	PRODUCT	WATT	SPECIFICATION
9	Lense Model Flood Light	50W	Wattage : 50W No of LEDs : 70 LED S X P : 55 x 14P Dimension : 129 x 180 mm Thickness : 1.2 mm Suitable for 1W/6V/2835 LED Suitable Driver 30V/1500ma
10	Lense Model Flood Light	100W	Wattage : 100W No of Leds : 120 LED S X P : 55 x 12P x 2 sets Dimension : 158 x 230 mm Thickness : 1.2 mm Suitable for 1W/6V/2835 led Suitable Driver 30V/1500max2 nos
11	Bulb PCB	7W	Wattage : 7W No of LEDs : 7 LED S X P : 7S x 1P Dimension : 24 x 21 mm Thickness : 1 mm Suitable for 1W/9V/2835 LED Suitable Driver 80V/100mA
12	Bulb PCB	9W	Wattage : 9W No of LEDs : 9 LED S X P : 9S x 1P Dimension : 24 x 21 mm Thickness : 1 mm Suitable for 1w/9v/2835 LED Suitable Driver 80V/100ma
13	RDL PCB	6W	Wattage : 6W Size: 3" No of LEDs : 30 LED S X P : 15S x 2P Dimension : 50 mm Thickness : 1 mm Suitable for 0.2W/3V/2835 LED Suitable Driver: 60V/120ma
14	RDL PCB	8W	Wattage : 8W Size: 4" No of Leds : 40 LED S X P : 20S x 2P Dimension : 82 mm Thickness : 1 mm Suitable for 0.2W/3v/2835 LED Suitable Driver: 60V/120ma
15	RDL PCB	12W	Wattage : 12W Size: 5" No of LEDs : 120 LED S X P : 15S x 8P Dimension : 115 mm Thickness : 1 mm Suitable for 0.2W/3v/2835 LED Suitable Driver 12W/300ma
16	RDL PCB	15W	Wattage : 15W Size: 6" No of LEDs : 135 LED S X P : 15S x 9P Dimension : 132 mm Thickness : 1 mm Suitable for 0.2W/3v/2835 LED Suitable Driver: 45V/300ma



PCB'S

SUITABLE FG PICTURE	RM PICTURE	S. NO.	PRODUCT	WATT	SPECIFICATION
		17	RDL PCB	18W	Wattage : 18W Size: 6" No of LEDs : 180 LED S X P : 18S x 10P Dimension : 132 mm Thickness : 1 mm Suitable for 0.2W/3v/2835 LED Suitable Driver 18W/300ma
		18	RDL PCB	22W	Wattage : 22W Size: 8" No of LEDs : 180 LED S X P : 18S x 10P Dimension : 186 mm Thickness : 1 mm Suitable for 0.2W/3v/2835 LED Suitable Driver 18W/300ma
		19	Tri-Colour Conceal PCBs	7W	Wattage : 7W Colour: 6K+3K:4K No of LEDs : 32 LED S X P : 8S x 2P x 2 Dia: 46 mm Thickness : 1 mm Suitable for 0.5W/3v/2835 LED Suitable Driver TRI/24V/260ma
		20	Tri-Colour Conceal PCBs	7W	Wattage : 7W Colour: RED+BLUE: PURPLE No of LEDs : 32 LED S X P : 8S x 2P x 2 Dia: 46 mm Thickness : 1 mm Suitable for 0.5W/3v/2835 LED Suitable Driver TRI/24V/260ma
		21	Tri-Colour Conceal PCBs	7W	Wattage : 7W Colour: GREEN+BLUE: SKY BLUE No of LEDs : 32 LED S X P : 8S x 2P x 2 Dia: 46 mm Thickness : 1 mm Suitable for 0.5W/3V/2835 LED Suitable Driver TRI/24V/260ma
		22	RDL PCB Tri Colour	8W	Wattage : 8W Size: 4" No of LEDs : 120 LED S X P : 20S x 3P X 2sets Dimension : 82 mm Thickness : 1 mm Suitable for 0.2W/3V/2835 LED
		23	RDL PCB Tri Colour	12W	Wattage : 12W Size: 5" No of LEDs : 200 LED S X P : 25S x 4P x 2sets Dimension : 115 mm Thickness : 1 mm Suitable for 0.2W/3V/2835 LED
		24	RDL PCB Tri Colour	15W	Wattage : 15W Size: 6" No of LEDs : 250 LED S X P : 25S x 5P x 2 sets Dimension : 132 mm Thickness : 1 mm Suitable for 0.2W/3V/2835 LED

LED & COB CHIP



S. NO.	SIZE	POWER	VOLTAGE/CURRENT	COLOUR	RA
1	2835	0.2W	3V/60MA	6K/3/4K	>80
2	2835	0.2W	3V/60MA	R/G/B/P	>80
3	2835	1W	9V/100MA	6K/3/4K	>80
4	2835	1W	9V/100MA	R/G/B/P	>80
5	2835	1W	6V/150MA	6K/3/4K	>80
6	11x7	7W	21V/300MA	6K/3/4K	>80
7	13.5x11	12W	36V/300MA	6K/3/4K	>80
8	19x11	18W	54V/300MA	6K/3/4K	>80
9	19x11	20W	36V/500MA	6K/3/4K	>80
10	19x11	30W	36V/750MA	6K/3/4K	>80
11		6W RGB	300MA	RGB COLOUR CHANGING	>80



TESTIMONIALS

Coming together is a beginning, staying together is progress and working together is SUCCESS.



GLOW GREEN
adding value to the great cause of GO GREEN

GLOW GREEN ENERGY LTD.

14/8, Site 4, Sahibabad Industrial Area,
Ghaziabad - 201010 (UP)
Tel: +91-9205892476 / 77
E-mail: info@glowgreen.in
Website: www.glowgreen.in

"WE DO OEM SERVICES."

We are fully committed for...

